SIEMENS Version 2.2 14.11.2008

Gigaset AL180 / AL185

"The basic entry phone for simple calling with brilliant sound quality" USP:

. Long Talk Time up to 25 hours

Key Benefits:

- Phonebook for up to 40 entries
- Standby time up to 210 hours
- Illuminated b/w display



Configuration: connection of 1 external line

System: cordless telephone for up to 4 handsets



- o HSP^TM
- Adjustable volume of handset sound (3 levels)
- Ringer melody with on/off function via * key (long press)
- Ringer melody output via handsfree speaker
- Advisory tone (for key confirmation and low battery)

Convenience - phoning essentials

Range

up to 50 meters Indoor range: 0 Outdoor range: up to 300 meters

Operation time

Talk time: up to 25 hours up to 210 hours Standby time:

Phonebook and dialing

- Phonebook for up to 40 names and numbers
- Name indication for: incoming calls, outgoing calls, missed calls list, redial list
- Dial preparation (input of phone numbers before connecting) with correction possibility
- Redialing of the 10 last different numbers
- User-programmable speed-dial shortcuts using keys 0, 2-9
- Dialing: DTMF, Pulse, Flash (programmable)
- Support of local area codes
- Provider lock²⁾ (provider customization to allow calls only via predefined network)





Receiving Calls

- Caller indication displayed via CLIP and CNIP²⁾
- Selectable ringer melodies
 - 10 standard melodies
 - adjustable volume
- Ringer melody output
 - via speaker
 - in AM base station
- Individual ringer melody for internal calls

Missed Calls

- Display signaling missed calls
- Comfortable access to missed calls list by dedicated, message key
- List showing up to 25 missed calls saving calls with caller indication (CLIP / CNIP - base station required) and time²⁾
- Direct dialing out of the missed calls list

General additional features

- Plug & Play (unpack, connect the phone and conduct a call)
- Date and time functions are protected against power failure
- Internal antennas 0
- Alarm clock via menu

SIEMENS

Display and menu features

Display

- Illuminated B/W display, 1,42 ": 1-line dot graphic 14 characters + 1 line for pictograms + 1 line for softkeys
- Display illumination: amber

Standby

Display of date and time as screensaver (default setting)

In idle

- Display of date and time
- Display of state of battery life and signal strength
- Soft keys for quick selection of functions

While conducting a call

Display of call duration in talk mode

Menu

- Simple operation via text based menu and soft keys 0
- User guidance in up to 28 country specific languages (partly available)

Keypad features

- New ergonomic keypad in high quality material (polydom technology)
- 12 numeric keys plus 9 function keys
- Keypad protection on/off via # key (long press) O
- Ringer tones on/off via * key
- Dedicated message key
- Flash key (R) with long press for pause (P) 0
- Mute hard key Ω
- Phonebook key

ECO DECT

- Up to 60% less energy consumption3) thanks to an energy-saving power supply
- Reduction of transmitting power to almost zero when handset is docked (with only 1 registered handset)
- ECO Mode manual reduction of transmitting power by 0 80%4)
- ECO Mode Plus⁵⁾ for 100% reduction of transmitting power of base station and all registered handsets
- Variable reduction of transmitting power according to distance between handset and base station

Accessories

- Gigaset Repeater
- Up to 4 Gigaset handsets

Features with more than one handset

- Free internal calls between handsets
- 2 calls simultaneously (1 external, 1 internal)
- Phonebook transfer between handsets
- Internal transfer of external calls to another handset with prior consultation call
- 3 party conference (1 external / 2 internal participants) via internal recall or barge in
- Selective and collective call of internal handsets
- Selective and collective call on incoming external calls

Answering machine features (AM version only)

- Integrated answering machine with up to 12 minutes recording time
- User defined and predefined announcement
- Display of new messages on handset and base station
- Announcement of date and time for each message by
- Comfortable operation via handset and keypad on base station (illuminated play key and on/off key)
- Live listening of messages via base station
- Call pick up function to answer calls during message recording
- Recordings have unlimited protection against power
- Remote control of answering machine

Fixed net operator features

Support of provider features by use of Flash key, *key and



SIEMENS

Technical data

Handset

Standby time: up to 210 hours Talk time: up to 25 hours

Battery: 2 x AAA (NiHM), 550 mAh Charging time: 8h in base, 6h in charger

Indoor range: up to 50 meters Outdoor range: up to 300 meters 0 Dimensions H x W x D / weight

Handset: 148mm x 49mm x 29mm / 119g

Base Station

Power-saving 230 V switch-mode power supply

Charging cradle in base station

Wall mountable

Paging key on front of base station

Speaker for ringer output in answering machine base

Connection of 1 external line

Connection of up to 4 handsets

Dimensions H x W x D / weight

Base station: 54mm x 104mm x 128mm / 108g

External charger (for Duos/Trios only)

Wall mountable

Dimensions H x W x D / weight Charger: 38mm x 83mm x 80mm / 48g

Package contents

- 1 handset
- 1 base station
- 2 standard AAA batteries (NiHM), 550 mAh
- 1 power supply unit
- 1 telephone cord
- 1 user manual

Other packages

- System Duo
- System Trio
- System Quattro O
- MT-Bundle
- AM System
- AM System Duo 0
- AM System Trio
- AM System Quattro

Color

Black, SF 514

Market Introduction

Market launch in August 2008

- 1) Support High Definition Sound Performance™ at VoIP base stations and behind Gateways with integrated DECT
- 2) Dependent on country / network/ operator
- 3) Compared to conventional Gigaset base stations
- 4) For all registered handsets in comparison to when ECO Mode is not activated and to our conventional cordless phones
- 5) When handset is idle or charging and when all registered handsets support ECO Mode Plus

Author

Name: Thomas, Winter GC PM V Org.: +49-89-722-35305 Tel.: E-Mail: thomaswinter@gigaset.com

Copyright Gigaset Communications GmbH 2008

Reproduction of the content of this document in whole or part and/or its disclosure to a third party is strictly forbidden without the permission of its owner. Offenders are liable to pay for the damages. All rights reserved in the event of the grant of a patent or the registration of a utility model or design.

